



Infection Control Policy

Below is an outline of common infections with their minimum exclusion from Nursery School.

Chicken Pox	At least 5 days from onset of rash, until spots crusted
Conjunctivitis	for first 24 hours of treatment
Diarrhoea and/or Vomiting	for 48 hours from last episode
German Measles (Rubella)	for 5 days from the onset of the rash
Hand Foot and Mouth Disease	for first 48 hours of treatment unless advised longer by GP
Tonsillitis	As specified by GP
Head Lice	Can return after treatment
Hepatitis A	for 5 days after onset of jaundice
Impetigo	Until lesions healed or crusted
Measles	for 5 days from the onset of the rash
Mumps	for 5 days from onset of swollen glands
Ringworm	for first 24 hours of treatment unless advised longer by GP
Scabies	Until fully treated (including all persons in household)
Scarlet Fever	5 days from commencement of antibiotics
Shingles	for 5 days from the onset of the rash
Slapped Cheek (parvovirus)	As specified by GP. Any pregnant woman exposed must be alerted
Whooping Cough	for 5 days from commencement of antibiotics
Threadworm	for 24 hours of treatment unless advised longer by GP.

This policy was adopted at a meeting of

Wickham Montessori School

Held on

July 2018

Date to be reviewed

July 2019

Name & signature

E Freemantle

Role of signatory (e.g. chair/owner)

Managing Director